




**Agromatic** INC

**K KRAIBURG**

**NEW** starting November 2011

# KRAIBURG maxiBOX Deep Bedded Comfort System



The comfortable deep bedded stall system for dry lying comfort



**K KRAIBURG**

► brings the pasture indoors

[www.kraiburg-agri.com](http://www.kraiburg-agri.com)  
[www.agromatic.net](http://www.agromatic.net)



## ► The comfortable deep bedded stall

Consistently good comfort in deep bedded stalls is not always easy to attain and is especially hard to maintain. The classic deep bedded stall has to contend with several problems which have negative effects on cow comfort.

Therefore, we focused our efforts on this subject and have developed a new comfort deep bedded system, "KRAIBURG maxiBOX."

The KRAIBURG maxiBOX solves the problems of the classic deep bedded stall and offers **more comfort**:

- elastic edges in the front and in the back
- maximum lying comfort
- year-round functional safety
- easier stall management possible
- only 1.25 - 2" bedding depth required


## The Typical Problems

**Painful contact with the rear curb**, when lying down, as well as during lying, caused by insufficient filling level and shape of the rear stall curb

**Moist & very dirty stalls**

Possible effects:

- lying times reduced by around 5 hours
- hygienic problems (udder health, flies, ...)



**Irritated, swollen & hairless joints** due to the hard brisket board and hard/moist bedding

**Hard lying surface** when bedding slides out of place requiring more **Frequent Refilling**



## The solution: maxiBOX

maxiLONGLINE - rubber cover (roll):

- **Safe softness** through a cushioned lower side profile
- Surface profile **extra soft** for excellent comfort
- Integrated slope and drainage openings **improve hygiene**

Only 1.25 - 2" bedding depth required

4" concrete

**maxiSTEP** - rubber profile at rear:

- **Comfortable** lying down and lying
- **Integrated drainage**

**maxiBOARD** - rubber brisket board:

- **Animal-friendly** and elastic
- **Gentle** on joints

**maxiBOX ▶ Deep Bedded Comfort Stall**

**New system**



- 3-component system consisting of rubber cover (roll) + rubber brisket board + rubber profile at rear curb

**Rubber cover maxiLONGLINE:**

- Long-lasting softness through a pliant and wear resistant air cushioned underside profile
- Integrated slope at the rear, as well as drainage grooves and openings, facilitate liquid drainage flow
- Intelligent surface profile retains bedding especially well and is conducive to mat formation

**maxiSTEP - rubber profile at rear:**

- Elastic and ergonomically chamfered for comfortable lying down and lying
- Bedding losses are minimized
- Integrated drainage for liquids
- Sturdy, dimensionally stable and sure-footed

**maxiBOARD - rubber brisket board:**

- Animal-friendly and elastic
- Ideally supplements the freestall control rail & devices
- Allows comfortable changing of lying positions
- Easy to put in bedding from the head space

**Optional: maxiPROFIL – profile at side:**

- Can be installed under stall dividers to help prevent bedding from moving side to side
- Easy installation on the mat
- Used to secure rubber ends and seams

**Profile on underside**  
brings consistent softness



**Deep profiled surface**  
holds bedding in place



**Beginning layer formation on mat surface**

**maxiSTEP**  
(profile at rear)



**maxiBOARD**  
(brisket board)



**maxiPROFIL**  
(profile at side)



## maxiBOX ▶ Deep Bedded Comfort Stall


### Prerequisites for the concrete surface (lying area):

- 3% minimum slope
- 4" high concrete stall platform

### Dimensions:

**maxiSTEP**  
length: 68.75"

**maxiBOARD**  
length: 68.75"




### maxiLONGLINE:

**thickness:** 1.25"  
**length:** 86' 1"  
**width:** 70.75"  
in 4" steps

**Installation:** 7 fastenings each for maxiBOARD and maxiSTEP, the maxiLONGLINE is not fastened separately

### Accessory:

**maxiPROFIL** for covering joints, for the side lying area boundary on maxiLONGLINE, for closure at side edges, **length:** 68.5", **installation:** 5 screws / profile



### Installation – fast and easy

The guidelines to correct installation can be found in the installation instructions!  
You will obtain these at your local Agromatic / KRAIBURG dealer or under [www.kraiburg-agri.com](http://www.kraiburg-agri.com).

### KRAIBURG manufacturer warranty

maxiBOX system: 10 years  
More detailed information is available on request.

### Tolerances

**thickness:** +3/-2 mm  
**length + width:** each +/- 1.5 % (DIN ISO 3302-1 tolerance class M4)

The tolerances also apply within the mat.

The products presented here should only be used for the mentioned applications. Technical specifications are subject to alterations. All sales are subject to our General Terms and Conditions. Legal basis is the German version of the document.



Phone: 800-800-5824  
920-922-1970  
Fax: 920 - 922 - 1750  
E-mail: [info@agromatic.net](mailto:info@agromatic.net)

P.O. Box 29  
N6989 Rolling Meadows Drive  
Fond du Lac, WI 54936  
[www.agromatic.net](http://www.agromatic.net)

### Your KRAIBURG dealer:



08/2011 - I

[www.kraiburg-agri.com](http://www.kraiburg-agri.com)  
[www.agromatic.net](http://www.agromatic.net)



**Gummiwerk KRAIBURG Elastik GmbH**

Göllstraße 8 • D-84529 Tittmoning • Tel: +49/86 83/701- 303 • Fax: +49/86 83/701- 190  
e-mail: [info@kraiburg-elastik.de](mailto:info@kraiburg-elastik.de) • [www.kraiburg-agri.com](http://www.kraiburg-agri.com)